



5150 AquaFix Catalyst

AquaFix is a liquid catalyst that speeds up the curing process and increases the washability of prints made with the Aqua Series water-based inks. The addition of this catalyst also allows printers the ability to use smaller dryers that normally are not large enough to complete cure the print. The addition of the catalyst will speed up the drying process so that the prints are surface cured allowing them to be stacked. After this, the catalyst will cross-link and be completely cured and washfast after 48 hours.

Add 5% by weight of AquaFix 5150 Fixative into all inks and printable adhesive before printing.

Caution


Always test finished prints for curing, opacity, adhesion and desired effect prior to beginning full production runs. Lancer Group International cannot guarantee the results or back claims that this ink will test PVC-free or phthalate-free if any additive other than an additive manufactured by Lancer Group International is used to modify the ink. Test results by a third-party laboratory verifying all components used to produce this ink are phthalate-free and lead-free are available upon request.

TECHNICAL DATA



IDEAL FABRIC

Cotton and Poly Cotton Blends.



MESH

N/A)



SQUEEGEE

N/A



STENCIL

Water-proof stencils .



CURING

N/A



TRANSFER TEMP

N/A.



ADDITIVES

AquaFix—5%.



STORAGE

60°-90° F (15-33 C) with lids sealed tightly.



CLEANING

Clean screens with lukewarm water and mild detergents.



LANCER GROUP INTERNATIONAL

HEAD OFFICE : 311 Saulteaux Crescent, Winnipeg MB, Canada R3J 3C7

Tel. : (204) 885 - 7792 / TOLL FREE : 1 - 800 - 665 - 4875 / Website : www.lancergroup.com / E-MAIL : lgsales@lancergroup.com